



2110 Hybrid Strip

SC-2110-YID2-12&24V



Available colors



W WW W+WW



Features

- 2110 assembled LEDs;
- CRI90;
- CE, RoHS, 5 years warranty;
- Multiple color temperatures: pure white, warm white and natural white;
- Delicate, high bright, highly reliable, rich in color, etc.;
- The LED strip can be cut to meet requirements of different length;
- Equipped with many LEDs which are placed densely, concentrated lighting effect and higher power. And effect will be better if using together with aluminum bar.





Application

- Stage lighting;
- Festival, activities, exhibition lighting, etc;
- Backlight of signage;
- Contour lighting;
- Landscape decoration lighting.

Technical Parameters


Model	Color	Lumen (lm/m)	Color temperature	LED Type	LED Qty. (leds/m)	Beam angle (degree)	Rated Watt (w/m)	DC Voltage (V)	IP	CRI
SC-2110-YID2-12&24V	W	940	4750-6250K	2110	336	120	23	12/24	20/64/65	90
	WW	820	2600-3100K							
	W+WW	1700	3800-4500K							

	IP20	IP64	IP65	
	Non-waterproof	Slim silicon potted	Silicon sleeved	Silicon potted
	SC-2110-YID2-XX	SC-2110D-YID2-XX	SC-2110S-YID2-XX	SC-2110P-YID2-XX

336 Leds/m				
------------	---	---	---	--




Dimensions

SC-2110-YID2






Wiring Diagram



Packaging Information



Installation Requirement

- The LED strip and accessories can't be squeezed or folded;
- PCB conductive parts can't be damaged when installation;
- Installation must conform to electrical safety standard. The LED strip can only be installed by professionals;
- Ensure power supply transform operating load with transformer;
- When install on metal or conductor surface, insulation protection need to be provided to the contact area;
- Observe positive and negative polarity, ensure correct connection to avoid damaging LED strip;
- When installation, please prevent static electricity;
- The product needs anti-corrosion environment, such as, avoiding damp, water drop or other adverse elements.



Yijia Industrial Park, Fuqian Road, Guanlan Town, Longhua, Shenzhen, Guangdong, China

Tel: +86-755-27608650
Fax: +86-755-27608651
www.signcomplex.com
sales@signcomplex.com